

Geothermal Zone Identification Criteria

- Identify Resource Quality
 - Estimate of basic energy resource potential
 - Thermal resource potential will be estimated based on heat flow and temperature depth trends, and possible reservoir areas
 - Data may come from primary or secondary sources
 - Resource quality will be measured in gross generating capacity (MW)
 - Estimate of electrical energy potential



- Generating Capacity will be an estimate of near-term generating capacity (<10 years) and long-term generating capacity (10-20 years)
- Identify Extent of Zone
 - Zone identification will identify the following potential zoning restrictions: Sensitive lands, e.g., federally designated wilderness and wilderness study areas; state and national parks
 - Water quality/rights



APPROACH

- Inventory known or suspected moderate- to high-temperature geothermal systems (accessible depths)
- Determine most likely to undergo development near-term, long-term
- Estimate resource parameters (reservoir temperature, volume, porosity, etc.)
- Apply general reservoir model (Bloomfield)
- Estimate potential for unknown, but suspected geothermal resources (northwest Utah, Great Salt Lake-Wasatch Front, etc.)
- Assign value (~ 5 MWt) for individual springs/wells (Nevada example)




Energy Assessment

Resource temperature	150.0	deg C	
Resource pressure	50.0	Bar	
Resource porosity	0.1	fraction	
Resource Enthalpy	635.1	kJ/kg	look up
Water specific volume	0.0	m3/kg	look up
Energy water	58396.9	kJ/m3	Calculated
Converson efficiency	0.2	fraction	
Useable water energy	8759.5	kJ/m3	Calculated
energy electric	3599.9	kJ/kw	
electric per reservoir volume	2.4	kw	Calculated

Source: Kit Bloomfield




UTAH GEOLOGICAL SURVEY



TEMPERATURES AT 3 KM DEPTH




UTAH GEOLOGICAL SURVEY



Known Geothermal Resources



UTAH GEOLOGICAL SURVEY



Thermal Gradient Data



Other sources:

- WGA Geothermal Task Force Report
- GEA Report Utah Development Needs (Fleischmann)
- GeothermEx RETI (California Energy Commission)
- GeothermEx/Raser Thermo
- INL studies (Roosevelt, Cove Fort)